

8 7 6 5 4 3 2 1

D

D

C


C

B


B

A

A



 **D3874-1LXX FLOOR PROTECTOR**





 **D3874-2LXX FLOOR PROTECTOR**

RELEASED
2014-06-17
mp

B	ADDED D3874-1L02 AND D3874-2L02 CONFIGURATIONS AND RE-IDENTIFIED D3874-1 AND D3874-2 AS D3874-1L08 AND D3874-2L08. REVISED NOTE 1 AND ADDED MATERIAL TABLE.	AK	14.04.10
A	NEW ISSUE	PH	09.01.29
REV.	DESCRIPTION	BY	DATE
DESIGN	AK	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AK		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	DL	D3874	SHEET 1 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	FLOOR PROTECTOR	NTS
DATE	14.04.10	COPYRIGHT © 2009 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

APPROVED

8 7 6 5 4 3 2 1



SECTION A-A
SCALE 2X

D3874-1LXX FLOOR PROTECTOR

RELEASED
2014-06-17

- NOTES:**
- 1) MATERIAL: SEE TABLE **B**
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3874-1LXX" USING VIBRATING STYLUS
 - 7) WEIGHT: 1.5 lbs
 - 8) TOOLING: THERMOFORM PER MOLD DT9474 PER DART QSI 022. TRIM PER MOLD
 - 9) MINIMUM THICKNESS: 0.050" ON FLANGES AND 0.065" ELSEWHERE EXCEPT AS SHOWN

B

PART NUMBER	DESCRIPTION
D3874-1L02	F6006 SUEDE/POLISHED 701 BLACK LEXAN SHEET 0.125 THICK (REF DART SPEC MLEX.125-F6006-02)
D3874-1L08	90318 PROTECT-A-GLAZE 112 CLEAR LEXAN SHEET 0.118 THICK (REF DART SPEC MLEX.118-90318-08)

APPROVED

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	DL	D3874	SHEET 2 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	FLOOR PROTECTOR	NTS
DATE	14.04.10	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

D

C

B



A

D

C

B

A



SECTION B-B
SCALE 2X

D3874-2LXX FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3874-2LXX" USING VIBRATING STYLUS
- 7) WEIGHT: 1.5 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9474 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.050" ON FLANGES AND 0.055" ELSEWHERE EXCEPT AS SHOWN



PART NUMBER	DESCRIPTION
D3874-2L02	F6006 SUEDE/POLISHED 701 BLACK LEXAN SHEET 0.125 THICK (REF DART SPEC MLEX.125-F6006-02)
D3874-2L08	90318 PROTECT-A-GLAZE 112 CLEAR LEXAN SHEET 0.118 THICK (REF DART SPEC MLEX.118-90318-08)

APPROVED

DESIGN	AK	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AK		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	DL	D3874	SHEET 3 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	FLOOR PROTECTOR	NTS
DATE	14.04.10	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	